JOANNA SHEPARD


CONSERVATION

HANDLING & PACKING INSTRUCTIONS

Will MacLean

Toolbox Fisher Shaman (2003)

Mixed media sculpture



Dimensions:

H) x W) x D): c7.5cm x 32.8 x 35.6cm (open, as shown to the right)

H) x W) x D) 13.5 x 32.8 x 18cm (closed)



IMPORTANT: REFER TO PACKING NOTES OVERLLEAF:

ALWAYS HANDLE WITH CLEAN NITRILE GLOVES

KEEP THE SCULPTURE LEVEL: DO NOT TURN UPSIDE DOWN

WHEN PACKED, LIFT BOX HOLDING BASE. MUST TRAVEL UPRIGHT.

TO PACK SCULPTURE:

1) Place internal padded insert as shown, with pads corresponding to the yellow highlights on the image:



Left: insert to be placed as shown. Right: insert in position.

2) Close artwork gently, ensuring internal padding sits into natural gaps in the artwork without resistance.



 Wrap the closed artwork in Tyvek; secure with small tabs of low-tack tape OR cotton tape



4) Remove all but the lowest layers of foam (no 6), from the box

5) Place wrapped artwork in box, with back/higher edge of box towards back

6) Insert square foam section (no 5), oriented as shown.








Will MacLean, Toolbox Fisher Shaman (2003), mixed media sculpture

7) Insert left and right edge foam sections (no 4), as shown.



8) Insert back and front foam sections (no 3), as shown



9) Insert smaller Tyvek pad (no 2), along back/higher edge of box



10) Insert larger Tyvek pad (no 1), with the thicker side towards the front/lower edge of the box.



11) Close plastic box with handling/packing instructions inside lid. Handle transport in this orientation. Do not tilt box or transport/store it upside down.



TO UNPACK THE ARTWORK:

- 1) Place plastic box on a padded surface with room for the unpacked artwork and loose internal padding. Remove lid and loose internal padding (no's 1-5).
- 2) Lift out wrapped artwork; unwrap. Leave box closed, with internal insert in place until just before installing.
- 3) Carefully remove internal insert taking care not to move components inside lid.
- 4) Replace all loose packing materials back in box in their original positions or in the internal cavity.
- 5) Storage and display conditions:
- Clean, filtered air
- Light levels max 100 lux (re: light sensitive components)
- Temperature maintained at 20°C +/- 2°C
- Relative humidity maintained 50% +/-5%;
- Avoid hanging near a heat source or air conditioning.
- Protect artwork from dusty environments.